

建議抗生素劑量表

Agents	Rat	Mice	Rabbit	Guinea Pig	Hamster
Enrofloxacin	10 mg/kg SC / IM , BID	2.5 - 5 mg/kg SC / IM , BID	5 - 15 mg/kg SC / IM , BID	5 – 10 mg/kg BID PO or 100 mg/liter drinking water	5 – 10 mg/kg BID PO or 100 mg/liter drinking water
Cephalexin	25 mg/kg SC , BID	15 mg/kg SC , BID	15-20 mg/kg SC , BID		
Cephalothin	30 mg/kg SC , BID	30 mg/kg SC , BID	12.5 mg/kg SC , BID		
Trimethoprim /sulfadiazine	15 - 30 mg/kg SC / IM , BID	15 - 30 mg/kg SC / IM , BID	30 - 48 mg/kg SC , BID	30 mg/kg SID SC	
Tetracycline	20 mg/kg BID PO	20 mg/kg BID PO	50 mg/kg BID PO	5 mg/kg BID IM	20 mg/kg BID PO
Gentamicin	5 – 8 mg/kg SID SC/ IM	5 – 8 mg/kg SID SC/ IM			5 – 8 mg/kg SID SC/ IM

SID = ONCE DAILY

PO = ORALLY

BID = TWICE DAILY

IM = INTRAMUSCULARLY

TID = THREE TIMES DAILY

SC = SUBCUTANEOUSLY